



Dolan Chemical Laboratory
4001 Bixby Road
Groveport, OH 43125
T: 614-836-4221, Audinet 210-4221
F: 614-836-4168, Audinet 210-4168
<http://aepenv/labs>

Water Analysis

Location: Mountaineer Plant

Report Date: 4/26/2012

1st Stage Feed

Sample Number: 121733-001 **Date Collected:** 04/18/2012 08:00 **Date Received:** 4/18/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Selenium, Se	404	ug/L	0.5	0.1	DPC	04/23/2012 14:00	EPA 200.8

2nd Stage Feed

Sample Number: 121733-002 **Date Collected:** 04/18/2012 08:00 **Date Received:** 4/18/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Selenium, Se	4.2	ug/L	0.5	0.1	DPC	04/23/2012 14:05	EPA 200.8

Bioreactor Effluent

Sample Number: 121733-003 **Date Collected:** 04/18/2012 08:00 **Date Received:** 4/18/2012

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Selenium, Se	1.2	ug/L	0.5	0.1	DPC	04/23/2012 14:10	EPA 200.8

Brian Snyder, Chemist II

Email bssnyder@aep.com

Tel. 614-836-4224

Fax 614-836-4168

Audinet 210-4224

THIS TEST REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT WRITTEN APPROVAL OF THE LABORATORY. ALL TEST RESULTS MEET ALL OF THE REQUIREMENTS OF THE ACCREDITING AUTHORITY, UNLESS OTHERWISE NOTED.